



APPLICATION

The PureSteel Mobile Soaking Station is intended for use in the reprocessing and disinfection of surgical equipment and devices including but not limited to leak testing, soaking, flushing, manual cleaning, and rinsing.

DESCRIPTION

The PureSteel Mobile Soaking Station is a stainless steel mobile soaking cart that allows reprocessing departments to include additional space for soaking and reprocessing, while providing sink basin measurements that allow longer instrumentation to horizontally soak. PureSteel Mobile Soaking Stations can come with organizational pegboards to organize reprocessing tools at the work space.

The Selections Checked Below Apply to This Equipment

MOBILE SOAKING STATIONS

- 32" x 22"; QTY _____
- 34" x 22"; QTY _____
- 33" x 18"; QTY _____

PEGBOARDS

- Standard size (size of the sink x 11"); QTY _____
- Custom size: _____ QTY _____

FLEXIPUMP

- FlexiPump™ Independent Flushing System; QTY _____

TUBE SETS

- 2 Device (box of 6)**
- 15 psi; QTY _____
- 30 psi (robotics); QTY _____
- 3 Device (box of 6)**
- 15 psi; QTY _____
- 30 psi (robotics); QTY _____
- 5 Device (box of 6)**
- 15 psi; QTY _____

MULTI-BRACKET

- Single Pump Bracket; QTY _____
- Double Pump Bracket; QTY _____
- Triple Pump Bracket; QTY _____

PURESTEEL™ TASK LIGHTS

- PureSteel LED Task Light; QTY _____
- PureSteel Halogen Magnifier Task Light; QTY _____

PEGBOARD ACCESSORIES

- Mounted Light Hood; QTY _____
- PureChannel™ Flush Touch-less Auto Dispenser; QTY _____
- Enzyme Rinse & Solution Tanks; QTY _____
- Brush Bath & Shelf; QTY _____
- Digital Thermometer; QTY _____
- Solution and Device Container Kit; QTY _____
- Magnetic White Board; QTY _____

WIRE BASKETS

- 7"x7"x12"; QTY _____
- 12"x12"x8"; QTY _____
- 24"x10"x5"; QTY _____
- 12"x6"x6"; QTY _____
- 15"x12"x5"; QTY _____
- 24"x12"x4"; QTY _____
- 12"x12"x4"; QTY _____

32OZ. BOTTLE HOLDERS

- Single; QTY _____
- Double; QTY _____
- Triple; QTY _____

GALLON BOTTLE HOLDERS

- Single; QTY _____
- Double; QTY _____
- Triple; QTY _____

Facility

Facility Address

Date

Purchase Time Frame

Contact Name

Contact E-mail

Representative Name

Representative E-mail

Reason for new sinks